



This is part of **Win16 API** which allow to create versions of program from one source code to run under OS/2 and Win16. Under OS/2 program can be running under Win-OS/2 if program is Windows NE executable, and with help on Windows Libraries for OS/2, if it is OS/2 NE executable. [Here](#) is a WLO to OS/2 API mapping draft

2021/09/01 04:23 · prokushev · [0 Comments](#)

FatalAppExit

Brief

Display a message box and terminate the application when the message box is closed.

Syntax

```
VOID WINAPI FatalAppExit(UINT uAction, LPCTSTR lpMessageText);
```

Parameters

- uAction

Reserved; must be zero.

- lpMessageText

Points to a null-terminated string that is displayed in the message box. The message is displayed on a single line. To accommodate low-resolution screens, the string should be no more than 35 characters in length.

Return Code

none

Notes

The FatalAppExit function displays a message box and terminates the application when the message box is closed. If Windows is running with a kernel debugger, the message box gives the user the opportunity to terminate the application or to cancel the message box and return to the application that called FatalAppExit.

An application calls FatalAppExit only when it is not capable of terminating any other way. FatalAppExit may not always free an application's memory or close its files, and it may cause a general failure of Windows. An application that encounters an unexpected error should terminate by freeing all its memory and returning from its main message loop.

Example Code

C Binding


MASM Binding

See also

[en:docs:win16:api:kernel:FatalExit]

Group	Functions
Module manager	GETVERSION GETMODULEHANDLE GETMODULEUSAGE GETMODULEFILENAME GETPROCADDRESS MAKEPROCINSTANCE FREEPROCINSTANCE GETINSTANCEDATA CATCH THROW GETCODEHANDLE LOADLIBRARY
Global Memory Manager	GlobalAlloc GlobalCompact GlobalDiscard GlobalFree GlobalLock GlobalReAlloc GlobalSize GlobalUnlock GlobalFlags
Local Memory Manager	LocalInit LocalAlloc LocalCompact LocalDiscard LocalFree LocalLock LocalFreeze LocalMelt LocalReAlloc LocalSize LocalUnlock LocalHandleDelta LockData UnlockData LocalFlags
Task Scheduler	GetCurrentTask Yield SetPriority
Resource Manager	AddFontResource RemoveFontResource LoadBitmap LoadCursor LoadIcon LoadMenu LoadString LoadAccelerators FindResource LoadResource AllocResource LockResource FreeResource AccessResource SizeofResource SetResourceHandler
String Translation	AnsiUpper AnsiLower AnsiNext AnsiPrev
Atom Manager	InitAtomTable AddAtom DeleteAtom FindAtom GetAtomName
Windows Initialization File	GetProfileInt GetProfileString WriteProfileString
Debugging	FatalExit
File I/O	_lopen _lcreat _llseek _lread _lwrite _lclose OpenFile GetTempFileName GetTempDrive
Registry	RegOpenKey RegCreateKey RegCloseKey RegDeleteKey RegSetValue RegQueryValue RegEnumKey

2022/11/17 15:22 · prokushev · 0 Comments



From:

<http://osfree.ru/doku/> - **osFree wiki**

Permanent link:

<http://osfree.ru/doku/doku.php?id=en:docs:win16:api:kernel:fatalappexit&rev=1762427378>

Last update: **2025/11/06 11:09**

